

## Original Article

# Secured Low Power Wireless Sensor Network by Using Lion Optimization Algorithm

Muhammadu Ansari<sup>1</sup>, Sadamiro A. O<sup>2</sup>

<sup>1</sup>Graduate Student, Department of Computer Engineering, Federal University of Technology Akure (FUTA)

<sup>2</sup>Faculty, Department of Computer Engineering, Federal University of Technology Akure (FUTA), Nigeria

Received Date: 03 December 2021

Revised Date: 05 January 2022

Accepted Date: 15 January 2022

**Abstract:** Remote sensor organization (WSN) has been a subject of expansive assessment attempts in the new year's, and has been particularly seen as a widespread and general strategy for a couple emerging applications, for instance, a continuous traffic noticing, natural framework and battle zone observation. Since these organizations oversee sensitive data, it is essential that they are made safe against various types of assaults, for occurrence, hub get, genuine changing, tuning in, attempting to guarantee obliviousness of organization, etc We meanwhile consider the security, lifetime and incorporation issues by sending sensor hubs and hand-off hubs in a cutting edge environment to take apart the multipath steering for overhauling security. This work presents one more procedure for impediment of flexible hubs in WSNs. The proposed approach relies upon the arrangement of a flexible fluffy and Lion Optimization Algorithm (LOA) joined directing structure. First proposed responsibility is to consider the rooms of the true environment as a fluffy sets made by bordering zones depicted by a Fuzzy Location Indicator (FLI). The FLI gives a fluffy linearization of the construction map in this manner the creation of a fluffy etymological model of the structure. The LOA advancement applied to find best effort way from fluffy for the security issue, trust degree evaluation used. Then, the sending issue is altered into a multi objective streamlining issue, which uses optimization. LOA is nature-charged up metaheuristic calculation for finding best sending.

**Keywords:** Wireless Sensor, Low Power, WSN, FUZZY LOA.

## INTRODUCTION

WSNs comprise of countless minimized, minimal expense, low-power, multifunctional sensor nodes that impart wirelessly over brief distances. In WSNs, the sensor nodes are for the most part conveyed arbitrarily in the field of interest, which are broadly utilized for performing observing and observation undertakings. Contingent upon the particular application situations, WSNs might depend on different execution measurements to be streamlined [1]. For instance, the energy effectiveness and network lifetime are among the central issues in WSNs, since the sensor nodes are commonly powered by battery, whose substitution is frequently troublesome. Moreover, the network inclusion, inactivity and the reasonableness among sensor nodes are significant for keeping up with the nature of-administration (QoS). Practically speaking, these measurements regularly struggle with one another, subsequently the cautious adjusting of the compromises among them is indispensable as far as

advancing the general presentation of WSNs in genuine applications.

In traditional WSN plans, commonly the most striking execution metric is picked as the optimization objective, while the leftover exhibition measurements are ordinarily treated as the requirements of the optimization issue. Such singleobjective optimization draws near, nonetheless, might be out of line and nonsensical in genuine WSN applications, since it misleadingly over-accentuates the significance of one of the measurements to the impairment of the rest [2]. Subsequently, a more sensible optimization is to at the same time fulfill multiple objectives, like the maximal energy proficiency, the briefest postponement, the longest network lifetime, the most noteworthy dependability, and the most adjusted dispersion of the nodes' lingering energy, or the compromises among the above objectives. Appropriately, LOA can be normally embraced for taking care of the above issue, since it could be more reliable with the sensible situations.



## RELATED WORKS

This section described a related works based on Metaheuristics model for various applications,

Talbi (2009) introduced a few key standards of metaheuristic computations and dissected the execution of these estimations in various improvement issues.

Kaveh (2017) likewise introduced the uses of metaheuristic improvement estimations in essential preparation.

Marinaki et al. (2011) supported another methodology thinking about Particle Swarm Optimization (PSO), with an other speed condition, for the computation of the cutoff points in strong control frameworks with FLC.

Hashim et al. (2017) investigated ideal tuning of cushioned examination channel for an adaptable regulator for nonlinear frameworks with PSO.

Aliabadi and Taher (2017) investigated improvement of cushioned Proportional-Integral-Derivative (PID) regulator with Imperialist Competitive Algorithm (ICA) to control the tweaked voltage controller structures.

Abhishek et al. (2017) introduced the use of nonlinear fall away from the faith and Fuzzy Logic in blend in with

ICA for confirmation of ideal cycle limits setting for accomplishing satisfying machining execution on carbon fiber maintained polymer composites.

Zhang and Wei (2017) proposed a superior quick adaptable cushioned sliding mode control for heading following ACO estimation.

Bhateshvar et al. (2017) empowered a multi-stage smoothing method for aFLC for rehash floundering cover with ACO computation.

Hari and Patil (2017) supported another way of thinking of orchestrating an overhauled soft regulator by Jaya estimation for nonlinear frameworks.

## PRELIMINARIES

Many customarily used control strategies rely upon a model, and that suggests that the controller setup relies upon the mathematical model of the system. Direct and Proportional Integral Derivative (PID) controllers are framed taking into account a model. Regardless, generally speaking, the mathematical derivation isn't exact and the control techniques considering these models are not capable. The fuzzysystems is to control the shut circle of nonlinear structures where the mathematical models are dark. In Fig. 1, a FLC is combined into a shut circle control system.




Fig. 1 Fuzzy Controller

The fuzzy control framework portrayed in Fig. 1 comprises of the accompanying advances:

1. Fuzzification (the regulator input factors, estimated from the design, are fuzzified into phonetic terms);
2. Rule Base (containing fuzzy IF-THEN principles);
3. Inference Mechanism (bringing about a fuzzy result for each standard);
4. Defuzzification (giving the fresh control signal).

As presented by human data and capacity don't give the ideal investment limits and rule base. A human arranged fluffy controller is one of the possible arrangements of the controller. In this section, a FLC considering the expert data is presented. The fluffy controller has two information factors, each one having eight enlistment limits, and one outcome variable with eleven support limits. The enlistment capacities with regards to the data and result factors are believed to be three-sided shaped as shown in Fig.2. The standard base of the FLC is similarly presented in Table 2. It should be referred to that considering the data sources and aftereffect of the FLC, the defuzzification is executed escalated the "Centroid" procedure given by the fluffy reasoning device stash in MATLAB.

## PROPOSED METHODOLOGY

This work presents another methodology for confinement of versatile nodes in WSNs. The proposed approach depends on the plan of a versatile fuzzy and LOA consolidated routing framework. First proposed commitment is to consider the rooms of the objective climate as a fuzzy sets made by adjoining zones portrayed by a FLI. FLI gives a fuzzy linearization of the structure map consequently the making of a fuzzy phonetic model of the framework. LOA optimization applied to track down best exertion way from fuzzy.

In the customary versatile impromptu network (MANET) frameworks course rediscovery draws near; there exists course disappointment in all course disclosure techniques bringing about data misfortune and correspondence overheads. Subsequently, the routing should be finished as per portability persona of the local area. On this composition, a FLOA focused lifetime forecast algorithm for course recuperating in MANET has been proposed. This way predicts the lifetime of connection and node inside to be had data transfer capacity settled on the boundaries like relative versatility of nodes and power drainfee, etc. Using forecasts, the boundaries are fuzzified and fuzzy thoughts were formed to choose the node fame. This skill is made to substitute among the whole nodes. Likewise, the notoriety of each node is checked sooner than information transmission. In any

event, for a powerless node, the proficiency of a course recovery system is made in this kind of implies that comparing courses are redirected to the vigorous nodes. With the guide of the recreated outcomes, the minimization of data misfortune and correspondence upward utilizing FLOA forecast has been referenced in component.

Through the set of experiences, people have been prevailed by tackling multiple issues during their everyday life. They utilize basic guidelines from their previous encounters to tackle a few hardships. Under such conditions, numerous scientists have attempted to imitate the human thinking in light of numerical methodologies. In light of basic in the event that principles, fuzzy rationale is one of the disciplines in man-made consciousness which copies the human thinking as far as semantic factors. In fuzzy rationale, phonetic factors address regular language factors which people usually used to determine semantic guidelines from a few cycles.


Then again, metaheuristics have been proposed as elective quest components to find ideal answers for complex optimization issues where old style numerical procedures present a few limits by working under multimodal surfaces. This section presents a novel metaheuristic algorithms called FLOA. The proposed algorithm models the pursuit technique which a specialist human in optimization could follow to tackle optimization issues in light of basic on the off chance that standards. The FLOA, utilizes a Takagi-Sugeno inference model, where the result is a weighted amount of four fuzzy principles; Attraction, shock, bother and haphazardness. The presentation of the proposed technique is looked at against the exhibition consequences of a few condition of-craftsmanship metaheuristics, assessing a few test capacities. The mathematical outcomes are factual approved utilizing a non-parametric structure to kill the arbitrary impact.

## FUZZY LOA

The optimization algorithm is joined with a transient reenactment program to accomplish the ideal arrangement. The huge inquiry space of the issue is kept up with utilizing a fuzzy loa algorithm. The LOA manages countless discrete or constant factors, doesn't need a logical objective capacity, investigates a wide pursuit space all the while, gives a populace of ideal arrangements, and works with mathematically produced information, exploratory information, or insightful capacities in amazingly complex

issues . In this paper, LOA is further developed utilizing fuzzy inference frameworks. A fuzzy direction is fused in the LOA way to deal with further develop its wellness assessment process and its ability for taking care of imperatives. The wellness assessment in this paper doesn't join cost straightforwardly. Every chromosome is assessed utilizing a fuzzy choice characterized after transient examination. The optimization algorithm is joined with a transient recreation program to accomplish an ideal arrangement. In common

hereditary algorithms, the wellness work that assesses every chromosome gets from a numerical recipe depicting the objective capacity. Meaning of a wellness work is a significant and troublesome errand. The wellness assessment in this paper doesn't join cost straightforwardly. In the current work, a fuzzy independent direction is fused in the LOA way to deal with further develop its wellness assessment process and its ability of taking care of requirements.



**Fig. 2 Proposed Block Diagram**

Before it is examined with regards to the LOA with all the while consider the security, lifetime and inclusion issues by sending sensor nodes and transfer nodes in a modern climate to dissect the multipath routing for improving security. For the security issue, trust degree assessment is utilized for the Manets. The organization issue is changed into a multi objective optimization issue, which utilizes LOA. LOA is nature-roused metaheuristic algorithm for tracking down best organization. Also, the improved security routing execution has been displayed in network test system. The Sensor insight arose with low power sensor model.

***LOA model***

In this work, a couple of characters of lions are mathematically exhibited to design an advancement calculation. In the proposed calculation, Lion Optimization Algorithm (LOA) shown in figure 3 that has a hidden people is formed by a lot of aimlessly made plans called Lions. A part of the lions in the basic people (%N) are picked as explorer lions and rest people (tenant lions) is aimlessly distributed P subsets called prides. S percent of the pride's people are considered as female and rest are considered as male, while this rate in voyager lions is the opposite way around. For each lion, the best obtained plan in passed cycles is called best visited position, and during the streamlining cooperation is invigorated powerfully.

1. Generate random sample of Lions  $N_{pop}$  ( $N_{pop}$  is number of initial population).
2. Initiate prides and nomad lions
  - i. Randomly select %N (Percent of lions that are nomad) of initial population as nomad lion. Partition remained lions into P (P is number of prides) prides randomly, and formed each pride's territory.
  - ii. In each pride %S (Sex rate) of entire population are known as females and the rest as males. This rate in nomad lions is inversed.
3. For each pride do
  - i. Some randomly selected female lion go hunting.
  - ii. Each of remained female lion in pride go toward one of the best selected position from territory.
  - iii. In pride, for each resident male; %R (Roaming percent) of territory randomly are selected and checked.  
%Ma (Mating probability) of females in pride mate with one or several resident male. → *New cubs become mature.*
  - iv. Weakest male drive out from pride and become nomad.
4. For Nomad do
  - i. Nomad lion (both male and female) moving randomly in search space.  
%Ma (Mating probability) of nomad Female mate with one of the best nomad male. → *New cubs become mature.*
  - ii. Prides randomly attacked by nomad male.
5. For each pride do
  - i. Some female with I rate ((Immigrate rate)) immigrate from pride and become nomad.
6. Do
  - i. First, based on their fitness value each gender of the nomad lions are sorted. After that, the best females among them are selected and distributed to prides filling empty places of migrated females.
  - ii. With respect to the maximum permitted number of each gender, nomad lions with the least fitness value will be removed.

If termination criterion is not satisfied, then go to step 3







### Figure 3 LOA algorithm

This convention progressively changes the quantity of allotments and guide periodicity to lessen the quantity of retransmissions. In our proposed procedure, parcel sizes are resolved utilizing network thickness, and the transmission plan for each segment is assessed utilizing fuzzy lion optimization algorithm (FLOA). It is an optimization organically enlivened by the attributes of lions. Its corporate and single practices, for example, prey catching, roaming, mating and defense are assisted with distinguishing the ideal parcel to communicate the crisis messages first. To bring down crisis message transmission delay and decrease message overt repetitiveness, FLOA incorporates a clever

sending node determination plot that uses ideal parcel, smaller than usual space and dark burst to rapidly choose remote adjoining nodes, and a solitary sending node is effectively picked by the offbeat conflict among them. Then, at that point, bidirectional transmission, multi-directional transmission and directional transmission are planned by the places of the crisis message shippers.

## RESULT AND DISCUSSION

The result and discussion of FLOA model is presented in this section. The performances are evaluated in terms of delay, throughput, energy consumption.



## CONCLUSION

A FLOA is the Fuzzy lion Optimization algorithm for course recuperating in MANET has been proposed. In any event, for a frail node, the productivity of a course recovery instrument is made in this sort of implies that comparing courses are redirected to the powerful nodes. With the guide of the reproduced outcomes, the minimization of data misfortune and correspondence upward utilizing FLOA expectation has been referenced in element. The calculation of the way number is changed over to a most extreme stream issue, and the FLOA is utilized. Along these lines, the proposed algorithms can be utilized to successfully and productively address the multi objective security-mindful sending Problem. Also, the productivity of the optimization procedure can be worked on through hybridization of bio inspired algorithms. The reenactment results and execution were dissected contrasted and strategies like Lion optimization, FLOA algorithm. The proposed algorithm accomplished high throughput exactness which upgraded the got exhibitions.

## REFERENCES

- [1] Kaveh A, "Advances in metaheuristic algorithms for optimal design of structures". *Springer*, Switzerland, 2014.
- [2] Kaveh A, "Applications of metaheuristic optimization algorithms in civil engineering". *Springer*, Switzerland, 2017.
- [3] Kaveh A, Ghazaan MI, "Meta-heuristic algorithms for optimal design of real-size structures". *Springer*, Berlin, 2018.
- [4] Kaveh A, Pirgholizadeh S, Khadem HO, "Semi-active tuned mass damper performance with optimized fuzzy controller using CSS algorithm", 2015.
- [5] Kiani M, Yildiz AR, "A comparative study of non-traditional methods for vehicle crashworthiness and NVH optimization". *Arch Comput Methods Eng* vol. 23 iss. 4 pp. 723–734
- [6] Maher M, Ebrahim MA, Mohamed EA, Mohamed A (2017) "Ant-lion optimizer based optimal allocation of distributed generators in radial distribution networks". *Int J Eng Inf Syst* vol. 1, iss.7, 225–238.
- [7] Marinaki M, Marinakis Y, Stavroulakis GE, "Fuzzy control optimized by a multi-objective particle swarm optimization algorithm for vibration suppression of smart structures". *Struct Multidiscip Optim* vol. 43 iss. 1, pp. 29–42, 2011.
- [8] Marinaki M, Marinakis Y, Stavroulakis GE, Fuzzy control optimized by a multi-objective differential evolution algorithm for vibration suppression of smart structures. *ComputStruct* 147, 126–137, 2015.
- [9] Mirjalili S, "The ant lion optimizer". *AdvEngSoftw* 83, 80–98, 2015.
- [10] Mirjalili S, "Dragonfly algorithm: a new meta-heuristic optimization technique for solving singleobjective, discrete, and multi-objective problems". *Neural ComputAppl* vol. 27 issue 4, 1053–1073, 2016.
- [11] Tairidis G, Foutsitzi G, Koutsianitis P, Stavroulakis GE, "Fine tuning of a fuzzy controller for vibration suppression of smart plates using genetic algorithms". *AdvEngSoftw* 101, 123–135, 2016.
- [12] Talatahari S, "Optimum design of skeletal structures using ant lion optimizer". *IranUnivSciTechnol*, vol. 6 issue 1, 13–25, 2016.
- [13] TalbiEG, "A taxonomy of hybrid metaheuristics". *J Heuristics* vol. 8 iss. 5 ,541–564, 2002.
- [14] TalbiEG, "Metaheuristics: from design to implementation", vol 74. Wiley, New York, 2009.
- [15] Teng J, Xing HB, Lu W, Li ZH, Chen CJ, "Influence analysis of time delay to active mass damper control system using pole assignment method". *Mech Syst Signal Process*, vol. 80, 99–116, 2016.
- [16] Tiwari D, Pachauri N, Rani A, Singh V, Fractional order PID (FOPID) controller based temperature control of bioreactor. In: 2016 International conference on electrical, electronics, and optimization techniques (ICEEOT). *IEEE*, pp 2968–2973, 2016.
- [17] Vanishree J, Ramesh V, Optimization of Size and Cost of Static VAR Compensator using Dragonfly Algorithm for Voltage Profile Improvement in Power Transmission Systems. *Int J Renew Energy Res (IJRER)* vol. 8, iss. 1, 56–66, 2018.
- [18] Wang LX, "A course in fuzzy systems". Prentice-Hall press, USA 1999.
- [19] Yildiz AR, "A comparative study of population-based optimization algorithms for turning operations". *Inf Sci* , vol. 210 pp. 81–88, 2012.
- [20] Yildiz AR, "Comparison of evolutionary-based optimization algorithms for structural design optimization". *EngApplArtifIntell*, vol. 26, iss. 1, 327–333, 2013.
- [21] Yildiz BS, "A comparative investigation of eight recent population-based optimisation algorithms for mechanical and structural design problems". *Int J Veh Des* 73(1–3) pp. 208–218, 2017.